



Truck-Lamp

SUPER BRIGHT LED

LED HIGH POWER INTERIOR LIGHTS

60 white LED with clear & diamond lens Polycarbonate

ABS


TL-211VW

Lens

Base














TL-213-12




22 LED with press on/off switch Polycarbonate ABS TL-213-12 Lens Housing







TL-217VS



21 LED Acrylic Aluminium TL-217VS Lens Housing










Ruck-Lam

SUPER BRIGHT LED

LED HIGH POWER INTERIOR LIGHTS



TL-217VM



33 LED Acrylic Aluminium

TL-217VM Lens Housing






TL-217VL



TL-217VL




42 LED Acrylic

Lens Aluminium Housing







54 LED Acrylic Aluminium

TL-217VXL Lens Housing







360min

63 LED Acrylic Aluminium

TL-217VXXL Lens Housing









fluck-Lam

SUPER BRIGHT LED

LED HIGH POWER INTERIOR LIGHTS



102 white LED with clear lens 12V 102 white LED with clear lens 24V 360mm x 76mm x 44mm Acrylic Aluminium

TL-BM-12 TL-BM-24 Size Lens Housing









165 white LED with clear lens 12V 165 white LED with clear lens 24V 580mm x 76mm x 44mm Acrylic ABS

TL-BL-12 TL-BL-24 Size Lens Housing









12 Watt high power LED 220V high powder LED 590mm x 40mm x 20mm Acrylic Aluminium


TL-102VW-V4 CJ102W-A3

Size

Lens Base







120 white LED 590mm x 40mm x 20mm Acrylic Aluminium

TL-102VW-5 Size Lens Base





SUPER BRIGHT LED

LED HIGH POWER INTERIOR LIGHTS



TL-238

120 LED with on-off switch Polycarbonate

ABS

122Dia x 15H

TL-238

Lens

Base Size





TL-239

120 LED with on-off switch

Polycarbonate

ABS

128 x 76 x 20

TL-239

Lens

Base

Size





TL-118VS

TL-118VM

42 LED with on-off switch and frosted lens

Aluminium / ABS

177L x 90W x 12 Thick

Lens

Base

TL-118VS

Size

72 LED with on-off switch and frosted lens

MS

Aluminium / ABS

267L x 90W x 12 Thick

TL-118VM

Lens

Base

Size

108 LED with on-off switch and frosted lens

MS

Aluminium / ABS

376L x 90W x 12

TL-118VL Lens

Base

Size

138 LED with on-off switch and frosted lens

MS

Aluminium / ABS

466L x 90W x 12

TL-118VXL Lens Base Size



TL-118VL

